Community Care Foster Family Home (CCFFH)
Written Plan of Correction for Deficiencies
Listed in Corrective Action Report
Chapter 17-1454

CCFFH Name: CCFFH Address:

July Zoparalla July Zoparalla Veahua Loop

| Rule<br>Number | Corrective Action Taken      | Date<br>Corrected | Prevention Strategy                                                |
|----------------|------------------------------|-------------------|--------------------------------------------------------------------|
| 4ba            | lapse cannot be<br>Correctal | 3/3/20            | Cabender remiden<br>Placed in Binder<br>For I'd of every<br>month. |
|                |                              |                   |                                                                    |
|                |                              |                   |                                                                    |
|                |                              |                   |                                                                    |

| Primary Caregiver's Signature: | Mafaralla |
|--------------------------------|-----------|
|                                |           |

Print Name: LILY ZAFARALLA Date of Signature: 3/3/20

## Foster Family Home - Corrective Action Report

Provider ID:

1-562315

Home Name:

Lily Zafaralla, CNA

Review ID:

1-562315-6

94-1180 Keahua Loop

Reviewer:

Julie Hastings

Waipahu

96797 HI

Begin Date:

3/3/2020

**Foster Family Home** 

**Required Certificate** 

[11-800-6]

6.(d)(1)

Comply with all applicable requirements in this chapter; and

Comment:

6.(d)(1)-Annual inspection conducted for this 2 bed home. A corrective action report (CAR)was issued during the visit and a corrective action plan (CAP) is due back to CTA before 3/10/2020.

Foster Family Home

Fire Safety

[11-800-46]

46.(a)

The home shall conduct, document, and maintain a record, in the home, of unannounced fire drills at different times of the day, evening, and night. Fire drills shall be conducted at least monthly under varied conditions and shall include the testing of smoke detectors.

Comment:

46.(a)

No June, July, August, September, October, November, December 2019 fire drill

Date

Date